



# INDUSTRIAL HOSE REELS | Retractable air hoses

## Vacuum hose for workshops and garages

The wide range of industrial hose reels covers all needs to assure a correct suction and expulsion of exhaust gases in workshops, inspection centers, garages, body shops, warehouses . Available in various sizes , with an increasing pipe diameters to suit the required correct air flow for each type: motorcycles, cars, vans, trucks, buses and trucks, and heavy duty.

### ARH -retractable air hose reel

Retractable hose reel for connection to centralised systems. It is characterized by:

- an innovative and exclusive rotation system made from “rotamax” aluminium alloy, designed to permit glide and manoeuvrability in the time and conditions of use, even heavy-duty;
- containment guard with greaser for harmonic stainless steel springs, preloaded and pre-calibrated according to the lengths and diameters of the flexible hoses;
- standard structure in reinforced steel for all versions;
- disks and drums are available in 4 different sizes to meet any possible requirements for anti-crush hose diameter and length;
- possible interchanging of solutions and accessories to improve extraction;
- crush-resistant hose TGA with lengths and diameters available from 75 mm to 200 mm.



ARHM - Wall mounted hose reel



Wall or ceiling-mounted motorised rewind hose reel, suitable for centralised systems or in combination with an “EV” extraction fan. It consists of:

- disks and drums are available in 4 different sizes to meet any possible requirements for anti-crush hose diameter and length;

- containment guard with greaser;
- standard structure in reinforced steel for all versions;
- an innovative and exclusive rotation system made from “rotamax” aluminium alloy, designed to permit glide and manoeuvrability in the time and conditions of use, even heavy-duty;
- Possible interchanging of solutions and accessories to improve extraction;
- Crush-resistant hose TGA with lengths and diameters available from 75 mm to 150 mm.

## ARHC – industrial hose reel

Manual rewind hose reel and sliding rail duct assembly. It is characterized by:

- standard structure in reinforced steel for all versions;
- an innovative and exclusive rotation system made from “rotamax” aluminium alloy, designed to permit glide and manoeuvrability in the time and conditions of use, even heavy-duty;
- containment guard with greaser for harmonic stainless steel springs, preloaded and pre-calibrated according to the lengths and diameters of the flexible hoses;
- possible interchanging of solutions and accessories to improve extraction with our EV extraction fans and motorized calibration damper system;
- disks and drums are available in 4 different sizes to meet any possible requirements for anti-crush hose diameter and length;
- crush-resistant hose TGA with lengths and diameters available from 75 mm to 150 mm.



## ARHV – vacuum hose

Manual rewind hose reel and on-board fan. It consists of:



- containment guard with greaser for harmonic stainless steel springs, preloaded and pre-calibrated according to the lengths and diameters of the flexible hoses;
- crush-resistant hose TGA with lengths and diameters available from 75 mm to 150 mm;
- an innovative and exclusive rotation system made from “rotamax” aluminium alloy, designed to permit glide and manoeuvrability in the time and conditions of use, even heavy-duty;
- standard structure in reinforced steel for all versions;
- disks and drums are available in 4 different sizes to meet any possible requirements for anti-crush hose diameter and length;
- possible interchanging of solutions and accessories to improve extraction with our EV extraction fans and motorized calibration damper system.

Contact us to know prices and special discounts related to these products!